



COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOUTHEAST REGIONAL OFFICE
20 RIVERSIDE DRIVE, LAKEVILLE, MA 02347 508-946-2700

DEVAL L. PATRICK
Governor

TIMOTHY P. MURRAY
Lieutenant Governor

IAN A. BOWLES
Secretary

LAURIE BURT
Commissioner

May 29, 2008

Patricia Gallagher, Operations/Enviro. Mgr.
Ocean Spray Cranberries, Inc.
152 Bridge Street
Middleborough, Massachusetts 02346

RE: MIDDLEBOROUGH-Industrial Wastewater
Ocean Spray Cranberries, Inc. @
152 Bridge Street, BWP IW38-
Permit for Industrial Sewer User
M.G.L Ch 21, Section 43
314 CMR 7.00 and 2.06
Transmittal No. W156791

Dear Ms. Gallagher:

Enclosed is your Permit for Industrial Sewer User BWP IW38 issued pursuant to the Massachusetts Clean Water Act (the "State Act"), M.G.L., Ch. 21, Section 26-53, as amended, and the promulgated regulations 314 CMR 7.00, 314 CMR 2.00, and 310 CMR 4.00 thereunder.

This permit is an action of the Department of Environmental Protection and is effective upon issuance. Please carefully review the enclosed permit, including all the terms and conditions stated under. If you are aggrieved by this action, you may request an adjudicatory hearing. A request for a hearing must be made in writing and postmarked within thirty (30) days of the date this permit was issued.

Under 310 CMR 1.01(6)(b), the request for a hearing must state clearly and concisely the facts that are the grounds for the request, and the relief sought. Additionally, the request must state why the permit is not consistent with applicable laws and regulations.

The hearing request, along with a valid check payable to the Commonwealth of Massachusetts, in the amount of \$100.00, must be mailed to:

Commonwealth of Massachusetts
Department of Environmental Protection
P.O. Box 4062
Boston, MA 02211

This information is available in alternate format. Call Donald M. Gomes, ADA Coordinator at 617-556-1057. TDD# 866-539-7622 or 617-574-6868.

DEP on the World Wide Web: <http://www.mass.gov/dep>

Printed on Recycled Paper

The request for a hearing will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver as described below.

The Department may waive the adjudicatory hearing-filing fee for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file, together with the hearing request as provided above, an affidavit setting forth the facts believed to support the claim of undue financial hardship.

Please include the transmittal number listed above on any further correspondence regarding your application.

Should you have any questions, please do not hesitate to contact Robert Greene at (508) 946-2826.

Very truly yours,

Christopher Tilden, P.E.
Regional Engineer for Waste Prevention

T/RWG/re

IWW/IWW38/FINALPERMIT/oceansprayfinalpermitcover

Enclosures:

Permit for Industrial Sewer User (BWP IW 38)
Attachment A
Overall Treatment Process
Detailed IWPS Description
IWPS Flow Diagram

cc: Middleborough Water Pollution Control Facility
c/o Town Hall
10 Nickerson Avenue
Middleborough, MA 02346
ATTN: Joseph Ciaglo

ec: DEP-Boston
ATTN:SCPP, BWPIW
Thomas Higgins

DEP-SERO
ATTN: Laura Patriarca